

<http://dx.doi.org/10.3928/00220124-20170816-07> (<http://dx.doi.org/10.3928/00220124-20170816-07>). PMID: 28850658

10. Use checklist to reduce self-harm risks in the ER. *Brief Hosp Saf*. 2018 Jul;:9-10. Also available: http://www.hospitalsafetycenter.com/archive/topic/WS_HSC_BHS.html (http://www.hospitalsafetycenter.com/archive/topic/WS_HSC_BHS.html).
11. ECRI Institute PSO. ECRI Institute PSO deep dive: meeting patients' behavioral health needs in acute care: strategies. [internet]. Plymouth Meeting (PA): ECRI Institute; 2018 Oct 5 [accessed 2018 Nov 08]. Available: https://www.ecri.org/components/PSOCore/Pages/DeepDive2018_BehavioralHealth_strategies.aspx (https://www.ecri.org/components/PSOCore/Pages/DeepDive2018_BehavioralHealth_strategies.aspx).
12. Roaten K, Johnson C, Genzel R, Khan F, North CS. Development and implementation of a universal suicide risk screening program in a safety-net hospital system. *Jt Comm J Qual Patient Saf*. 2018 Jan;44(1):4-11. Also available: <http://dx.doi.org/10.1016/j.jcjq.2017.07.006> (<http://dx.doi.org/10.1016/j.jcjq.2017.07.006>). PMID: 29290245



The *Pennsylvania Patient Safety Advisory* may be reprinted and distributed without restriction, provided it is printed or distributed in its entirety and without alteration. Individual articles may be reprinted in their entirety and without alteration, provided the source is clearly attributed.

Current and previous issues are available online at <http://patientsafety.pa.gov> (<http://patientsafety.pa.gov/>).